

**40 YEARS OF
EXCELLENCE**



www.alzubedi.com

ABDUL RAHMAN AL ZUBEDI

general trading

Your one-stop destination for
quality building materials,
offering over 15,000 products
to elevate every construction
project.

WE PROVIDE YOU BUILD



+971 (0) 50 183 4822



02-632 0672



MUSAFFAH 13, ABU DHABI, UAE



inquiry@alzubedi.com



40 YEAR
OF EXCELLENCE

ABDUL RAHMANAL ZUBEDI

general trading

Welcome to our Abdul Rahman Al Zubedi General Trading! We're excited to help you find everything you need to bring your building project to life. Our team of experts is here to offer you guidance and advice, and our extensive range of high-quality products will provide you with a wide variety of options to suit any style or budget.

So whether you're a professional contractor or a DIY enthusiast, we're ready to assist you every step of the way. Let's get started!

40
YEAR
OF EXCELLENCE



CONTENTS

CEMENT

PREMIUM TILE ADHESIVES

TILE ADHESIVES

EPOXY ADHESIVES

TILE GROUT

EPOXY TILE GROUT

CEMENTITIOUS TILE GROUT

GROUT COLOUR CHART

WATERPROOFING

UNDER LAYMENT

PAINTS


CONCRETE REPAIRS

PRIMARY WATER PROOFING

WOOD

METAL

HARDWARE



CEMENT



ORDINARY PORTLAND CEMENT

OPC

Used in all types of regular reinforced concrete for all applications where no special types of cement is required.



شركة راس الخيمة
RAS AL KHAIMAH CEMENT COMPANY

CEMENT



MASONRY CEMENT

MC

Masonry cement is a special blended cement that is mixed in specific proportions with sand and water to form a strong binding mortar.



SULFATE RESISTANT CEMENT

SRC

SRC is used where sulfate salts are present on the soil or in saline water.

WHITE CEMENT



شركة راس الخيمة
RAS AL KHAIMAH CEMENT COMPANY



LATICRETE
**ULTRA PRO PREMIUM
TILE ADHESIVES**



superflex
345

G2TE S2



345 Super Flex is an ultra pro premium multi-purpose adhesive, fortified with polymers to give it high deformability.



**SCAN FOR
TECHNICAL DATA
SHEET**



LATICRETE



PREMIUM TILE ADHESIVES



EXCEED
C2TE S1

ANSI-118.11
ANSI-118.15



The ultimate one-step, polymer fortified, thin-set adhesive for interior and exterior installation of ceramic tile, stone, quarry tile, pavers and brick.

254 PLATINUM



C2TE S1



335 Premium + Tile Adhesive is a flexible cement-based adhesive for interior ceramics, porcelain, mosaic and natural stone.

335

PREMIUM PLUS TILE ADHESIVE



LATICRETE TILE ADHESIVES



**EXCEED
C2TE**



325 Premium Tile Adhesive

LATICRETE 325 Premium Tile Adhesive is a high performance polymer modified, cementitious thin-set powder that is to be mixed only with water using the thin-set method of installation.



317 Tile Adhesive

317 Floor & Wall is a bagged cementitious powder, It is mixed with either water or latex admixture for installing ceramic tile and stone using the thin-set method of installation.

**C1T
ANSI-118.4**



315 Tile Adhesive

315 Tile Adhesive Thin-set mortar is a high performance bagged cementitious powder to be mixed with either water or latex admixture to install ceramic tile and natural stone using the thin-set method of installation.

C1T



305 Tile Adhesive

305 Tile Glue is a an economical, bagged cementitious powder to be mixed with water for installing Ceramic tile using the thin-set method of installation.

C1





LATICRETE TILE ADHESIVES



Bond is a powder made of cement, polymer, and unique fillers that is used as a ceramic tile adhesive and was created specifically for use in hot climates.



C1



Order Now!



LATICRETE EPOXY TILE ADHESIVES

LATAPOXY



LATAPOXY 300 EPOXY ADHESIVE

LATAPOXY® 300 Adhesive is a chemical resistant, epoxy adhesive that will bond to most sound, clean surfaces.



LATAPOXY 310



STONE ADHESIVE

LATAPOXY 310 EPOXY STONE ADHESIVE

LATAPOXY 310 Stone Adhesive is a two component, high strength epoxy adhesive, which is formulated for spot bonding fixing method of tile and stone installations on vertical surfaces.





LATICRETE EPOXY GROUT



SPECTRALOCK® Pro Premium Grout

A patented, high performance epoxy grout which offers excellent color uniformity, durability, stain protection, and beautiful, full grout joints in an easy-to-use, non-sag formula.



SPECTRA LOCK



SPECTRALOCK® DAZZLE™

A unique design component, SPECTRALOCK DAZZLE adds metallic and Glow-In-The-Dark enhancements to SPECTRALOCK PRO Premium Grout and SPECTRALOCK PRO Grout.





LATICRETE GROUT



PERMACOLOR® Grout FS

PERMACOLOR® Grout FS
(Fine Sanded) is a high
performance, fast setting
grout for narrow joints.



PERMACOLOR® Grout

PERMACOLOR® Grout is a
high performance grout that
provides a grout joint that is
dense, hard and will resist
cracking.



1600 Unsanded Grout

A premium, factory
prepared, polymer fortified
unsanded Portland cement
grout designed to be mixed
with water.



1500 Sanded Grout

1500 Sanded Grout is a
premium, factory prepared
grout designed to be mixed
with water





LATICRETE GROUT COLOR CHART



We offer 40 standard colors in Middle East
To obtain samples or grout charts free of
charge, Contact us today or download our Grout
Selection Chart now.



44 Bright White	88 Silver Shadow	91 Slate Grey	42 Platinum	45 Raven	22 Midnight Black
85 Almond	39 Mushroom	52 Toasted Almond	41 Kashmir	61 Parchment	24 Natural Grey
18 Sauterne	17 Marble Beige	89 Smoke Grey	78 Sterling Silver	23 Antique White	40 Latte
81 Butter Cream	03 Silk	30 Sand Beige	35 Mocha	CC-04 Terra Brown	43 Chocolate Truffle
90 Light Pewter	CC-08 Light Pink	CC-07 Maroon	CC-09 Brown Red	46 Quarry Red	59 Espresso
CC-06 Pearl Gentian Blue	CC-05 Pastel Blue	CC-10 Pastel Turquoise	94 Cobalt Blue	92 Saffron	
CC-11 Pastel Green	CC-01 Olive Green	CC-03 Water Blue	CC-02 Bottle Green	CC-12 Blue Green	



LATICRETE WATERPROOFING



92



9235 WATERPROOFING MEMBRANE

9235 Waterproofing Membrane is The Industry Standard for wet areas and continuous water submersion applications.

35



AQUA BARRIER

AQUA BARRIER is a two-part polymer modified cementitious waterproof slurry comprising of a liquid polymer part and cement-based powder part. When mixed together and applied it cures to a flexible elastomeric membrane. It is applied to concrete and masonry water retaining structures to prevent water infiltration.



HYDRO BAN®

Hydro Ban is a liquid applied, thin waterproofing anti-fracture membrane that combines optimum performance and unmatched productivity.



302 Waterproof Slurry

302 Waterproof slurry is a High quality; Polymer fortified cementitious waterproofing material.





L A T I C R E T E



3642 Latex Concentrate

3642 Latex Concentrate is a concentrated latex admix which is diluted with water on site and then mixed with LATICRETE Thick Bed Mortar or Portland cement and sand to make cement plasters, renders, coatings, mortar beds and screeds for concrete repairs.



3701 Mortar Admix

3701 Mortar Admix is a specially designed latex admixture for use with thin-set mortars, cement grouts, cement mortar beds, and other cement mixes.



Superset

SUPERSET is a macromolecule-based polymer concentrate to be mixed with water and used with cement to enhancing and double the strength of cement.



LATASIL

LATASIL sealant is a high performance, one component, neutral cure, 100% silicone sealant designed for ceramic tile & stone applications.





PAINTS



NATIONAL
PAINTS



INTERIOR



EXTERIOR



WOOD



AUTO-MOTIVE



POWDER COATING



INDUSTRIAL



STUCCO FILLER

PVA COPOLYMER BASED PUTTY FILLER; FILL CRACKS IN YOUR WALL WITH IT TO GIVE IT A SMOOTHED FINISH LOOK; FOR BEST RESULTS APPLY 2 COATS.



THINNER

NATIONAL PAINTS LACQUER THINNER IS A POWERFUL SOLVENT TO HELP REDUCE THE VISCOSITY OF PAINT AND VARNISH FOR EASY APPLICATION AND IMPROVED FLOW.



EMULSION

NATIONAL PLASTIC EMULSION IS A PVA COPOLYMER BASED GOOD QUALITY, ECONOMICAL PAINT FOR INTERIOR APPLICATIONS.



ENAMEL

AN OIL - BASED FINISH SUITABLE FOR THE PROTECTION AND DECORATION OF MOST INTERIOR AND EXTERIOR SURFACES.

CONCRETE REPAIRS



RENDEROC FC

RENDEROC FC IS SUPPLIED AS A READY TO USE BLEND OF DRY POWDERS REQUIRING ONLY THE SITE ADDITION OF CLEAN WATER TO PRODUCE A HIGHLY CONSISTENT CEMENTITIOUS FAIRING MORTAR.



RENDEROC TG

RENDEROC FC IS SUPPLIED AS A READY TO USE BLEND OF DRY POWDERS REQUIRING ONLY THE SITE ADDITION OF CLEAN WATER TO PRODUCE A HIGHLY CONSISTENT CEMENTITIOUS FAIRING MORTAR.



RENDEROC TG XTRA

SHRINKAGE CONTROLLED, POLYMER MODIFIED, VERTICAL AND OVERHEAD CEMENTITIOUS REPAIR MORTAR SYSTEM



RenderocLA55

HIGH PERFORMANCE FREE FLOWING LOW ALKALI MICRO CONCRETE CONFORMING TO THE REQUIREMENTS OF BS EN 1504-3 CLASS R4
ORDER NOW

CONCRETE REPAIRS

RENDEROC FC XTRA



SINGLE COMPONENT
POLYMER MODIFIED
CEMENTITIOUS PINHOLE
FILLER, FAIRING COAT AND
COSMETIC MORTAR



RENDEROC LA XTRA

SHRINKAGE CONTROLLED,
POLYMERMODIFIED, FLUID
MICROCONCRETE FOR
STRUCTURAL REPAIRS OF ALL
TYPES





BITUPLUS ULTRA

E 4180



SBS modified bituminous waterproofing membrane

BituplusULTRA E4180 is an elastomeric high performance bitumen based torch applied waterproofing membrane.



POLYSHIELD



Modified bituminous damp proof membrane

Polyshield is a polymer modified bitumen damp proof Membrane laminated on to a multi layer high density high tensile polyethylene film.



POLYCOAT RBE 10



Rubberized bitumen emulsion

Polycoat RBE10 is an emulsified rubber modified bitumen coating, which dries to form a tough, seamless, flexible vapor proof protective coating. Polycoat RBE 10 conforms to the requirement of ASTM D 1227 Type III, class 1.



POLYCOAT

Bitumen emulsion paint



Polycoat is an emulsified thixotropic bitumen protective coating. The coating dries to form a black flexible protective film. The finished film forms a tough barrier to vapor transmission.



WOOD

TIMBER

ASH WOOD
BEECH WOOD
TEAK WOOD
CHERRY WOOD
MAPLE (HARD & SOFT)
MAHOGANY WOOD
OAK WOOD
WHITE WOOD
RED WOOD
RED MERANTI
AMERICAN WALNUT



PLYWOOD

COMMERCIAL PLYWOOD
WATER BOILED PROOF (WBF)
BENDY / FLEXI FORM PLYWOOD
FILM FACED PLYWOOD
SOFT BOARDS (BITUMENIUS)
DECOR POLYESTER FACED
VENEER FACED DECORATIVE



DECOR PRODUCTS

DECORATIVE VENEER
DECORATIVE HARDBOARD
LAMINATED SHEETS
ACRYLIC SHEETS
WAVE BOARDS
MOULDINGS

POLYURETHANE CORNICE
WOODEN MOULDINGS
STAIR PARTS
MDF DECORATIVE
SCREENS






METAL



GI BLOCK MESH




SS BLOCK MESH




GI PLASTER MESH



SS PLASTER MESH



GI ANGLE BEAD



SS ANGLE BEAD




GI LINTEL



GI MESH LADDER




SHUTTERING CLAMPS



GI ARCHITRAVE BEAD



RAPID CLAMPS



TIE RODS



WING NUT




HOLE FAST



HARDWARE



HAMMERS



NAILS



SCREWS



DRILL BITS



CUTTING DISKS



PAINT BRUSHES



DRILL MACHINES



GRINDER MACHINES



PAINT ROLLERS



SCRAPPERS



LEVELS



MEASURING TAPES



CONCRETE SPACERS



WHEEL SPACERS



TILE SPACERS



PREMIUM PARTNERS



PARTNERS



**NATIONAL
PAINTS**

**KLUDI
RAK**
We Stand for Water Saving



اركان
ARKAN

ducab

**Schneider
Electric**



Milano

PEGLER

STANLEY

ADMORE

KAJ



WF wefatherm





ABDUL RAHMANAL ZUBEDI

general trading

HEAD OFFICE



+971 (0) 50 949 2157



02-632 0672



ABU DHABI, UAE



inquiry@alzubedi.com

BRANCH 1



+971 (0) 50 183 4822



02-632 0672



MUSAFFAH 13, ABU DHABI, UAE



inquiry@alzubedi.com

BRANCH 2



+971 (0) 50 957 2448



02-632 0672



MUSAFFAH 9, ABU DHABI, UAE



inquiry@alzubedi.com